



**S6 Fig.** Diagnostic yield of radial probe endobronchial ultrasound based on bronchoscope type [1,2,5-20,22-24,26,27,29,31-34,36-41]. BFS, bronchoscope; CI, confidence interval; IV, inverse variance.

## References

1. Fuso L, Varone F, Magnini D, Baldi F, Rindi G, Pagliari G, et al. Role of ultrasound-guided transbronchial biopsy in the diagnosis of peripheral pulmonary lesions. *Lung Cancer*. 2013;81:60-4.
2. Tamiya M, Okamoto N, Sasada S, Shiroyama T, Morishita N, Suzuki H, et al. Diagnostic yield of combined bronchoscopy and endobronchial ultrasonography, under LungPoint guidance for small peripheral pulmonary lesions. *Respirology*. 2013;18:834-9.
3. Tay JH, Irving L, Antippa P, Steinfort DP. Radial probe endobronchial ultrasound: factors influencing visualization yield of peripheral pulmonary lesions. *Respirology*. 2013;18:185-90.
4. Chen A, Chenna P, Loiselle A, Massoni J, Mayse M, Misselhorn D. Radial probe endobronchial ultrasound for peripheral pulmonary lesions: a 5-year institutional experience. *Ann Am Thorac Soc*. 2014;11:578-82.
5. Evison M, Crosbie PA, Morris J, Martin J, Barber PV, Booton R. Can computed tomography characteristics predict outcomes in patients undergoing radial endobronchial ultrasound-guided biopsy of peripheral lung lesions? *J Thorac Oncol*. 2014;9:1393-7.
6. Kuo CH, Lin SM, Lee KY, Chung FT, Lo YL, Hsiung TC, et al. Endobronchial ultrasound-guided transbronchial biopsy and brushing: a comparative evaluation for the diagnosis of peripheral pulmonary lesions. *Eur J Cardiothorac Surg*. 2014;45:894-8.
7. Sanchez-Font A, Giralt L, Vollmer I, Pijuan L, Gea J, Curull V. Endobronchial ultrasound for the diagnosis of peripheral pulmonary lesions: a controlled study with fluoroscopy. *Arch Bronconeumol*. 2014;50:166-71.
8. Asano F, Shinagawa N, Ishida T, Tsuzuku A, Tachihara M, Kanazawa K, et al. Virtual bronchoscopic navigation improves the diagnostic yield of radial-endobronchial ultrasound for peripheral pulmonary lesions with involved bronchi on CT. *Intern Med*. 2015;54:1021-5.
9. Boonsarngsuk V, Kanoksil W, Laungdamerongchai S. Comparison of diagnostic performances among bronchoscopic sampling techniques in the diagnosis of peripheral pulmonary lesions. *J Thorac Dis*. 2015;7:697-703.
10. Chan A, Devanand A, Low SY, Koh MS. Radial endobronchial ultrasound in diagnosing peripheral lung lesions in a high tuberculosis setting. *BMC Pulm Med*. 2015;15:90.
11. Guvenc C, Yserbyt J, Testelmans D, Zanca F, Carbonez A, Ninane V, et al. Computed tomography characteristics predictive for radial EBUS-miniprobe-guided diagnosis of pulmonary lesions. *J Thorac Oncol*. 2015;10:472-8.
12. Minezawa T, Okamura T, Yatsuya H, Yamamoto N, Morikawa S, Yamaguchi T, et al. Bronchus sign on thin-section computed tomography is a powerful predictive factor for successful transbronchial biopsy using endobronchial ultrasound with a guide sheath for small peripheral lung lesions: a retrospective observational study. *BMC Med Imaging*. 2015;15:21.

13. Oki M, Saka H, Ando M, Asano F, Kurimoto N, Morita K, et al. Ultrathin bronchoscopy with multimodal devices for peripheral pulmonary lesions: a randomized trial. *Am J Respir Crit Care Med.* 2015;192:468-76.
14. Jacomelli M, Demarzo SE, Cardoso PF, Palomino AL, Figueiredo VR. Radial-probe EBUS for the diagnosis of peripheral pulmonary lesions. *J Bras Pneumol.* 2016;42:248-53.
15. Kunimasa K, Tachihara M, Tamura D, Tokunaga S, Nakata K, Hazeki N, et al. Diagnostic utility of additional conventional techniques after endobronchial ultrasonography guidance during transbronchial biopsy. *Respirology.* 2016;21:1100-5.
16. Steinfort DP, Bonney A, See K, Irving LB. Sequential multimodality bronchoscopic investigation of peripheral pulmonary lesions. *Eur Respir J.* 2016;47:607-14.
17. Wang C, Li X, Zhou Z, Zhao H, Li Z, Jiang G, et al. Endobronchial ultrasonography with guide sheath versus computed tomography guided transthoracic needle biopsy for peripheral pulmonary lesions: a propensity score matched analysis. *J Thorac Dis.* 2016;8:2758-64.
18. Asano F, Ishida T, Shinagawa N, Sukoh N, Anzai M, Kanazawa K, et al. Virtual bronchoscopic navigation without X-ray fluoroscopy to diagnose peripheral pulmonary lesions: a randomized trial. *BMC Pulm Med.* 2017;17:184.
19. Huang CT, Ruan SY, Tsai YJ, Ho CC, Yu CJ. Experience improves the performance of endobronchial ultrasound-guided transbronchial biopsy for peripheral pulmonary lesions: a learning curve at a medical centre. *PLoS One.* 2017;12:e0179719.
20. Eom JS, Mok JH, Kim I, Lee MK, Lee G, Park H, et al. Radial probe endobronchial ultrasound using a guide sheath for peripheral lung lesions in beginners. *BMC Pulm Med.* 2018;18:137.
21. Good WR, Christensen PM, Herath S, Dawkins P, Yap E. Radial-probe endobronchial ultrasound outcomes in the investigation of peripheral pulmonary lesions: a New Zealand perspective. *Intern Med J.* 2018;48:1481-7.
22. Tanner NT, Yarmus L, Chen A, Wang Memoli J, Mehta HJ, Pastis NJ, et al. Standard bronchoscopy with fluoroscopy vs thin bronchoscopy and radial endobronchial ultrasound for biopsy of pulmonary lesions: a multicenter, prospective, randomized trial. *Chest.* 2018;154:1035-43.
23. Zhang SJ, Zhang M, Zhou J, Zhang QD, Xu QQ, Xu X. Radial endobronchial ultrasonography with distance measurement through a thin bronchoscope for the diagnosis of malignant peripheral pulmonary lesions. *Transl Lung Cancer Res.* 2018;7:80-7.
24. Bo L, Li C, Pan L, Wang H, Li S, Li Q, et al. Diagnosing a solitary pulmonary nodule using multiple bronchoscopic guided technologies: a prospective randomized study. *Lung Cancer.* 2019;129:48-54.
25. Kho SS, Chan SK, Yong MC, Tie ST. Performance of transbronchial cryobiopsy in eccentrically and adjacently orientated radial endobronchial ultrasound lesions. *ERJ Open Res.*

2019;5:00135-2019.

26. Oki M, Saka H, Asano F, Kitagawa C, Kogure Y, Tsuzuku A, et al. Use of an ultrathin vs thin bronchoscope for peripheral pulmonary lesions: a randomized trial. *Chest*. 2019;156:954-64.
27. Xu C, Yuan Q, Wang Y, Wang W, Chi C, Zhang Q, et al. Usefulness of virtual bronchoscopic navigation combined with endobronchial ultrasound guided transbronchial lung biopsy for solitary pulmonary nodules. *Medicine (Baltimore)*. 2019;98:e14248.
28. Zhu J, Gu Y. Diagnosis of peripheral pulmonary lesions using endobronchial ultrasonography with a guide sheath and computed tomography guided transthoracic needle aspiration. *Clin Respir J*. 2019;13:765-72.
29. Boonsarngsuk V, Petnak T, So-Ngern A, Saksithichok B, Kanoksil W. Comparison of different transbronchial biopsy sampling techniques for the diagnosis of peripheral pulmonary lesions with radial endobronchial ultrasound-guided bronchoscopy: a prospective study. *Respir Investig*. 2020;58:381-6.
30. Samaranayake CB, Wright C, Erigadoo S, Azzopardi M, Putt M, Bint M. A randomized controlled trial on optimal sampling sequence in radial guide sheath endobronchial ultrasound lung biopsy. *J Bronchology Interv Pulmonol*. 2020;27:205-11.
31. Goel MK, Kumar A, Maitra G, Singh B, Ahlawat S, Jain P, et al. Radial EBUS-guided cryobiopsy of peripheral lung lesions with flexible bronchoscopy without using guide-sheath. *J Bronchology Interv Pulmonol*. 2021;28:184-91.
32. Hong KS, Ahn H, Lee KH, Chung JH, Shin KC, Jin HJ, et al. Radial probe endobronchial ultrasound using guide sheath-guided transbronchial lung biopsy in peripheral pulmonary lesions without fluoroscopy. *Tuberc Respir Dis (Seoul)*. 2021;84:282-90.
33. Jiang L, Xu J, Liu C, Gao N, Zhao J, Han X, et al. Diagnosis of peripheral pulmonary lesions with transbronchial lung cryobiopsy by guide sheath and radial endobronchial ultrasonography: a prospective control study. *Can Respir J*. 2021;2021:6947037.
34. Zheng X, Xie F, Li Y, Chen J, Jiang Y, Sun J. Ultrathin bronchoscope combined with virtual bronchoscopic navigation and endobronchial ultrasound for the diagnosis of peripheral pulmonary lesions with or without fluoroscopy: a randomized trial. *Thorac Cancer*. 2021;12:1864-72.
35. Ito T, Matsumoto Y, Okachi S, Nishida K, Tanaka M, Imabayashi T, et al. A diagnostic predictive model of bronchoscopy with radial endobronchial ultrasound for peripheral pulmonary lesions. *Respiration*. 2022;101:1148-56.
36. Kim SH, Mok J, Jo EJ, Kim MH, Lee K, Kim KU, et al. The additive impact of transbronchial cryobiopsy using a 1.1-mm diameter cryoprobe on conventional biopsy for peripheral lung nodules. *Cancer Res Treat*. 2023;55:506-12.
37. Lee J, Kim C, Seol HY, Chung HS, Mok J, Lee G, et al. Safety and diagnostic yield of radial probe endobronchial ultrasound-guided biopsy for peripheral lung lesions in patients with idiopathic

- pulmonary fibrosis: a multicenter cross-sectional study. *Respiration*. 2022;101:401-7.
38. Liu Y, Wang F, Zhang Q, Tong Z. Diagnostic yield of virtual bronchoscope navigation combined with radial endobronchial ultrasound guided transbronchial cryo-biopsy for peripheral pulmonary nodules: a prospective, randomized, controlled trial. *Ann Transl Med*. 2022;10:443.
39. Oki M, Saka H, Imabayashi T, Himeji D, Nishii Y, Nakashima H, et al. Guide sheath versus non-guide sheath method for endobronchial ultrasound-guided biopsy of peripheral pulmonary lesions: a multicentre randomised trial. *Eur Respir J*. 2022;59:2101678.
40. Tanaka M, Matsumoto Y, Imabayashi T, Kawahara T, Tsuchida T. Diagnostic value of a new cryoprobe for peripheral pulmonary lesions: a prospective study. *BMC Pulm Med*. 2022;22:226.
41. Zheng X, Zhong C, Xie F, Li S, Wang G, Zhang L, et al. Virtual bronchoscopic navigation and endobronchial ultrasound with a guide sheath without fluoroscopy for diagnosing peripheral pulmonary lesions with a bronchus leading to or adjacent to the lesion: a randomized non-inferiority trial. *Respirology*. 2023;28:389-98.